# Index to Volume 36

## Authors and Titles


Adeney, J. A. *See* Steiner, J. L. 1

Al-Ali, S. J., Malouf, N. M., and Walker, D. M.—
Choline requirement of the pre-ruminant lamb during the first two to three weeks of life 829

Alberts, E., Hannay, J., and Randles, J. W.—
An epidemic of cucumber mosaic virus in South Australian lupins 267

Allden, W. G. *See* Hynd, P. I. 451

Angus, J. F., and Moncur, M. W.—
Models of growth and development of wheat in relation to plant nitrogen 537

Ascher, Julie S. *See* Graham, Robin D. 145

Asher, C. J. *See* Kim, Moo-Key 569

Auld, B. A. *See* Medd, R. W. 361

Barrow, N. J., Leahy, P. J., Southey, I. N., and Purser, D. B.—
Initial and residual effectiveness of molybdate fertilizer in two areas of south-western Australia 579

Barrs, H. D. *See* Myers, W. S. 171

Basford, K. E. *See* Hacker, J. B. 201

Batterham, E. S. *See* Visitpanich, T. 327, 337

Benevenga, N. J. *See* Radcliffe, B. C. 709

Bergersen, F. J., Turner, G. L., Gault, R. R., Chase, D. L., and Brockwell, J.—
The natural abundance of $^{15}N$ in an irrigated soybean crop and its use for the calculation of nitrogen fixation 397
*See also* Brockwell, J. 411; Ledgard, S. F. 247, 663

Beveridge, I., Brown, T. H., Fitzsimons, S. M., Ford, G. E., Judson, G. J., Martin, R. R., and Miller, D. W.—
Mortality in weaner sheep in South Australia under different regimes of anthelmintic treatment 857
*See also* Brown, T. H.

Blacklow, W. M. *See* Gill, G. S. 295

Blair, G. J. *See* Scott, J. M. 221

Boland, Owen W., and Walcott, James J.—
Levels of heterosis for yield and quality in an $F_1$ hybrid wheat 545

Boston, R. C. *See* Schneider, K. M. 91

Bremner, P. M. *See* Davidson, J. L. 347

Brockwell, J., Gault, R. R., Chase, D. L., Turner, G. L., and Bergersen, F. J.—
Establishment and expression of soybean symbiosis in a soil previously free of *Rhizobium japonicum* 411
*See also* Bergersen, F. J. 397

Brown, T. H., Ford, G. E., Miller, D. W., and Beveridge, I.—
Effect of anthelmintic dosing and stocking rate on the productivity of weaner sheep in a Mediterranean environment 845
*See also* Beveridge, I. 855

Burnside, E. B. *See* Meyer, K. 509

Campbell, L. C. *See* Hill, M. J. 213

Catchpoole, V. R. *See* Wright, G. C. 677

Ch'ang, T. S., and Evans, R.—
Heterosis and bred effect on carcass traits of rams. I. Carcass weight and component traits 107

Chase, D. L. *See* Bergersen, F. J. 411; Brockwell, J. 397

Christian, K. R. *See* Davidson, J. L. 347

Clare, B. G. *See* Mayfield, A. H. 197

Cockrum, P. A., and Edgar, J. A.—
Rapid estimation of corynetoxins in bacterial galls from annual ryegrass (*Lolium rigidum* Gaudin) by high performance liquid chromatography 35

Collins, W. J. *See* Rossiter, R. C. 43

Connor, D. J. *See* O'Leary, G. J. 187

Cook, S. J., and Ratcliff, D.—
Effect of fertilizer, root and shoot composition on the growth of Siratro (*Macroptilium atropurpureum*) and green panic (*Panicum maximum* var. *trichoglume*) seedlings in a native speargrass (*Heteropogon contortus*) sward 233

Coombe, J. B.—
Rape and sunflower seed meals as supplements for sheep fed on oat straw 717

Coombe, J. B., Mulholland, J. B., and Forrester, R. I.—
Effect of treatment with sodium hydroxide on the feeding value of oat and rape straw for sheep 623

Culvenor, R. A.—
Tolerance of *Phalaris aquatica* L. lines and some other agricultural species to excess manganese, and the effect of aluminium on manganese tolerance in *P. aquatica* 695

D'Antuono, M. F. *See* Khan, T. N. 655

Davidson, J. L., Christian, K. R., Jones, D. B., and Bremner, P. M.—
Response of wheat to vernalization and photoperiod 347

Davies, Helen, M. S. *See* Ternouth, J. H. 637

Davies, W. J. *See* Graham, Robin D. 145

Denmead, O. T. *See* Freney, J. R. 685

Donnelly, J., McKinney, G. T., and Morley, F. H. W.—
The productivity of breeding ewes grazing on lucerne or grass and clover pastures on the tablelands of southern Australia. IV. Lamb growth 469

Downes, R. W., and Tonnet, M. L.—
Effect of environmental conditions on growth and rubber production of guayule (*Parthenium argentatum*) 285

Downton, W. S.—
Growth and mineral composition of the Sultana grapevine as influenced by salinity and rootstock 425

Doyle, P. T. *See* Egan, J. K. 483

Edey, T. N. *See* Sutama, I. Ketut 461

Edgar, J. A. *See* Cockrum, P. A. 35

Edwards, D. J. *See* Kim, Moo-Key 569

Egan, A. R. *See* Radcliffe, B. C. 709

Egan, J. K. and Doyle, P. T.—
Effect of intraruminal infusion of urea on the response in voluntary food intake by sheep 483

Elliott, R., Norton, B. W., Milton, J. T. B., and Ford, C. W.—
Effects of molasses on mimosine metabolism in goats fed fresh and dried *Leucaena* with barley straw 867

Ferguson, K. H., Fukai, S., Wilson, G. L., and Toleman, M. A.—
Effects of post-transplant water deficits on leaf development and yield of winter planted tobacco in north Queensland 51

Finch, Virginia, A.—
Comparison of non-evaporative heat transfer in different cattle breeds 497

Fisher, J. M. *See* Stanton, J. M. 559

Fisher, M. J. *See* Keating, B. A. 373

Ford, C. W. *See* Elliott, R. R. 867

Ford, G. E. *See* Beveridge, I. 857; Brown, T. M. 845

Forrester, R. I. *See* Coombe, J. B. 623

Freney, J. R., Simpson, J. R., Denmead, O. T., Muirhead, W. A., and Leuning, R.—
Transformations and transfers of nitrogen after irrigating a cracking clay soil with a urea solution 685
*See also* Ledgard, S. F. 247, 663

Fukai, S. *See* Ferguson, K. H. 51

Gault, R. R. *See* Bergersen, F. J. 397; Brockwell, J. 411

Gill, G. S., and Blacklow, W. M.—
Variations in seed dormancy and rates of development of great brome, *Bromus diandrus* Roth., as adaptations to the climates of southern Australia and implications for weed control 295

Graham, Robin D., Davies, W. J., and Ascher, Julie S.—
The critical concentration of manganese in field-grown wheat 145
*See also* Hannam, R. J. 765

Graser, H. U., and Hammond, K.—
Mixed model procedures for the Australian beef industry. I. Multiple-trait model for estimation of breeding values for 200-day and final weights of cattle 527

Hacker, J. B., Strickland, R. W., and Basford, K. E.—
Genetic variations in sodium and potassium concentrations in herbage of *Digitaria milnjiana*, and its relation to provenance 201

Hamblin, A. P., and Hamblin, J.—
Root characteristics of some temperate legume species and varieties on deep, free-draining soils 63

Hamblin, J. *See* Hamblin, A. P. 63

Hammond, K. *See* Graser, H.-U. 527; Meyer, K. 509

Hannam, R. J., Graham, R. D., and Riggs, J. L.—
Diagnosis and prognosis of manganese deficiency in *Lupinus angustifolius* L. 765

Hannay, J. *See* Alberts, E. 263

Harding, R. M., and Teakle, D. S.—
Mycoplasma-like organisms as causal agents of potato purple top wilt in Queensland 443

Harradine, A. R.—
Dispersal and establishment of slender thistle (*Carduus pyncocephalus* L.) as affected by ground cover 791

Haynes, Yvonne. *See* Rossiter, R. C. 43

Hedges, D. A. *See* Taylor, J. A. 315

Hennessy, D. W. *See* Lee, G. J. 729

Heritage, W. D. *See* Meyer, W. S. 171

Hill, M. J., and Pearson, C. J.—
Primary growth and regrowth responses of temperate grasses to different temperatures and cutting frequencies 13

Hill, M. J., Pearson, C. J., and Campbell, L. C.—
Growth of seedlings of prairie grass and tall fescue in small swards of kikuyu at different temperatures 213

Hill, M. J., Pearson, C. J., and Kirby, A. C.—
Germination and seedling growth of prairie grass, tall fescue and Italian ryegrass at different temperatures 13

Hynd, P. I., and Allden, W. G.—
Rumen fermentation pattern, postruminal protein flow and wool growth rate of sheep on a high barley diet 451

Jacobs, Brent J. *See* Pearson, C. J. 601

Jones, D. B. *See* Davidson, J. L. 347

Jones, R. K. *See* Vallis, I. 809

Judson, G. J. *See* Beveridge, I. 857

Keating, B. A., and Fisher, M. J.—
Comparative tolerance of tropical grain legumes to salinity 373

Kelly, K. B.—
Effects of soil modification and treading on pasture growth and the physical properties of an irrigated red-brown earth 799

Kemp, D. R. *See* Medd, R. W. 361

Kempton, T. J. *See* Lee, G. J. 729

Khan, T. N. and D'Antuono, M. F.—
Relationship between scald (*Rhyncosporium secalis*) and losses in grain yield of barley in Western Australia 655

Kim, Moo-Key, Edwards, D. G., and Asher, C. J.—
Tolerance of *Trifolium subterraneum* cultivars to low pH 569

Kirby, A. C. *See* Hill, M. J. 13

Kriedemann, P. E., Graham, Robin D., and Wiskich, J. T.—
Photosynthetic dysfunction and *in vivo* changes in chlorophyll a fluorescence from manganese-deficient wheat leaves 155

Leahy, P. J. *See* Barrow, N. J. 579

Ledgard, S. F., Simpson, J. R., Freney, J. R., and Bergersen, F. J.—
Field evaluation of $^{15}N$ techniques for estimating nitrogen fixation in legume–grass associations 247
Effect of reference plant on estimation of nitrogen fixation by subterranean clover using $^{15}N$ methods 663

Lee, G. J., Hennessy, D. W., Williamson, P. J., Nolan, J. V., Kempton, T. J., and Leng, R. A.—
Response to protein meal supplements by lactating beef cattle given a low-quality pasture hay 729

Leng, R. A. *See* Lee, G. J. 729

Leuning, R. *See* Freney, J. R. 685

McClintock, A. E. *See* Meyer, K. 509

McCown, R. L. *See* Vallis, I. 809

McKinney, G. T. *See* Donnelly, J. R. 469

Maller, R. A. *See* Rossiter, R. C. 119

Malouf, D. M. *See* Al-Ali, S. M. 829

Martin, R. R. *See* Beveridge, I. 857

Mayfield, A. H., and Clare, B. G.—
Effects of high temperatures on scald lesion development and sporulation in barley infected with *Rhyncosporium secalis* 197

Medd, R. W., Auld, B. A., Kemp, D. R., and Murison, R. D.—
The influence of wheat density and spatial arrangement on annual ryegrass, *Lolium rigidum* Gaudin, competition 361

Meyer, K., Burnside, S. B., Hammond, K., and McClintock, A. E.—
Evaluating dairy sires for conformation of their daughters: use of first classification records 509

Meyer, W. S., Barrs, H. D., Smith, R. C. G., White, N. S., Heritage, A. D., and Short, D. L.—
Effect of irrigation on soil oxygen status and root and shoot growth of wheat in a clay soil 171
*See also* Steiner, J. L. 1

Miles, J. W.—
Evaluation of potential genetic marker traits and estimation of outcrossing rate in *Stylosanthes guainensis* 259

Miller, D. W. *See* Beveridge, I. 857; Brown, T. M. 845

Milton, J. T. B., and Ternouth, J. H.—
Phosphorus metabolism in ruminants. II. Effects of inorganic phosphorus concentration upon food intake and digestibility 647
*See also* Elliott, R. 867; Ternouth, J. H. 637

Mitchell, C. J. *See* Scott, J. M. 221

Moncur, M. W. *See* Angus, J. F. 537

Moran, J. B.—
Comparative performance of five genotypes of Indonesian large ruminants. I. Effect of dietary quality on liveweight and feed utilization 743

Moran, J. B., and Wood, J. T.—
Comparative performance of five genotypes of Indonesian large ruminants. II. Growth and development of non-carcass components 753

Muirhead, W. A. *See* Freney, J. R. 683

Muldoon, D. K.—
The effect of time and sowing and row spacing on the maturity and yield of three groundnut cultivars under irrigation 615

Mulholland, J. G. *See* Coombe, J. B. 623

Nair, N. G.—
Fungi associated with bunch rot of grapes in the Hunter Valley 435

Noble, C. L.—
Germination and growth of *Secale montanum* Guss. in the presence of sodium chloride 385

Nolan, J. V. *See* Lee, G. J. 729

Norton, B. W. *See* Elliott, R. 867; Visitpanich, T. 327, 337

O'Leary, G. J., Connor, D. J., and White, D. H.—
Effect of sowing time on growth, yield and water use of rain-fed wheat in the Wimmera, Vic. 187

O'Loughlin, J. *See* Scott, K. J. 305

Pakes, A. G. *See* Rossiter, R. C. 119

Peake (the late) D. C. I. *See* Vallis, I. 809

Pearson, C. J., and Jacobs, B. C.—
Root distribution in space and time in *Trifolium subterraneum* 601
*See also* Hill, M. J. 13, 25, 215

Purser, D. B. *See* Barrow, N. J. 579

Radcliffe, B. G., Hynd, P. I., Benevenga, N. J., and Egan, A. R.—
Effects of cysteine ethyl ester supplements on wool growth rate 709

Randles, J. W. *See* Alberts, E. 267

Ratcliff, D. *See* Cook, S. J. 233

Riggs, J. L. *See* Hannam, R. J. 765

Rossiter, R. C., Collins, W. J., and Haynes, Yvonne—
Genetic variability in Seaton Park subterranean clover 43

Rossiter, R. C., Maller, R. A., and Pakes, A. G.—
A model of changes in the composition of binary mixtures of subterranean clover strains 119

Sands, N. E. *See* Ternouth, J. H. 637

Schneider, K. M., Ternouth, J. H., Seville, G. C., and Boston, R. C.—
A short-term study of calcium and phosphorus absorption in sheep fed on diets high and low in calcium and phosphorus 91

Scott, J. M., Mitchell, C. J., and Blair, G. J.—
Effect of nutrient seed coating on the emergence and early growth of perennial ryegrass 221

Scott, K. J., O'Loughlin, J., England, B., and Roberts, E. A.—
Effect of water rinses after calcium chloride dips, with and without additives, on the control of bitter pit in apples 305

Seville, F. C. *See* Schneider, K. M. 91

Short, D. L. *See* Meyer, W. S. 171

Simpson, J. R. *See* Freney, J. R. 685; Ledgard, S. F. 247, 663

Simpson-Morgan, M. W. *See* Ternouth, J. H. 637

Smith, R. C. G. *See* Meyer, W. S. 171; Steiner, J. L. 1

Southey, I. N. *See* Barrow, N. J. 579

Stanton, J. W., and Fisher, J. M.—
Growth of wheat after damage by, and effects of ethylene dibromide on, a field population of *Heterodera avenae* 559

Steiner, J. L., Smith, R. C. G., Meyer, W. S., and Adeney, J. A.—
Water use, foliage temperature and yield of irrigated wheat in south-eastern Australia 1

Strickland, R. W. *See* Hacker, J. B. 201

Sutama, I. Ketut, and Edey, T. N.—
Reproductive development during winter and spring of Merino ram lambs grown at three different rates 461

Sykes, S. R.—
A glasshouse screening procedure for identifying citrus hybrids which restrict chloride accumulation in shoot tissues 779

Tan, B. H.—
Genetic control of flowering time in subterranean clover 275

Taylor, J. A., Hedges, D. A., and Whalley, R. D. B.—
Effects of fertilizer and grazing sheep on pasture heterogeneity in a small-scale grazing experiment 315

Teakle, D. S. *See* Harding, R. M. 443

Ternouth, J. H., Davies, Helen, M. S., Milton, J. T. B., Simpson-Morgam, M. W., and Sands, N. E. 637
*See also* Milton, J. T. B. 647; Schneider, K. M. 91

Toleman, M. A. *See* Ferguson, K. H. 51

Tonnet, M. L. *See* Downes, R. W. 285

Turner, G. L. *See* Bergersen, F. J. 411
Brockwell, J. 391

Vallis, I., the late Peake, D. C. I., Jones, R. K., and McCown, R. L.—
Cycling of urea nitrogen from cattle urine in a pasture–crop sequence in a seasonably dry tropical environment 809

Visitpanich, T., Batterham, E. S., and Norton, B. W.—
Nutritional value of chickpea (*Cicer arietinum*) and pigeonpea (*Cajanus cajan*) meals for growing pigs and rats. I. Energy content and protein quality 327
II. Effect of autoclaving and alkali treatment 337

Walcott, James J.—
The effect of *Triticum timopheevi* nucleo-cytoplasmic system on the performance of an F1 hybrid wheat 553
*See also* Boland, Owen W. 545

Walker, D. M. *See* Al-Ali, D. M. 829

Whalley, R. D. B. *See* Taylor, J. A. 315

White, D. H. *See* O'Leary, G. J. 187

White, N. S. *See* Meyer, W. S. 171

Williamson, P. J. *See* Lee, G. J. 729

Wilson, G. L. *See* Ferguson, K. H. 51

Wilson, J. R.—
Comparative response to salinity of the growth and nodulation of *Macroptilium atropurpureum* cv. Siratro and *Neonotonia wightii* cv. Cooper seedlings 589

Wiskich, J. T. *See* Kriedemann, P. E. 155

Wood, J. T. *See* Moran, J. B. 753

Wright, G. C.—
Furrow irrigation of grain sorghum in a tropical environment.
I. Influence of period of inundation and nitrogen fertilizer on dry matter production, grain yield and soil aeration 73
II. Influence of period of inundation on the utilization of soil and fertilizer nitrogen by the crop 83

Wright, G. C., and Catchpoole, V. R.—
Fate of urea nitrogen applied at planting to grain sorghum grown under sprinkler and furrow irrigation on a cracking clay soil 677

Printed by CSIRO, Melbourne